

Koch, Kristine

From: Koch, Kristine
Sent: Monday, June 30, 2014 12:58 PM
To: Alex Liverman (liverman.alex@deq.state.or.us); Allen, Elizabeth; Audie Huber (audiehuber@ctuir.com); Bob Dexter; Brian Cunnighame (cunnighame@gorge.net); callie@ridolfi.com; Conley, Alanna; Erin Madden (erin.madden@gmail.com); Fuentes, Rene; Gail Fricano (gfricano@indecon.com); Genevieve Angle (Genevieve.Angle@noaa.gov); Holly Partridge (Holly.Partridge@grandronde.org); JD Williams (jd@williamsjohnsonlaw.com); peterson.Jennifer@deq.state.or.us; Jeremy_Buck@fws.gov; Julie Weis (jweis@hk-law.com); Matt Johnson (matt@williamsjohnsonlaw.com); Matt McClincy (mcclincy.matt@deq.state.or.us); Michael.karnosh@grandronde.org; poulsen.mike@deq.state.or.us; Muza, Richard; rdelvecchio@indecon.com DelVecchio; Robert.Neely@noaa.gov; rose@yakamafish-nsn.gov; Ryan Sudbury (Ryan.Sudbury@grandronde.org); Sheldrake, Sean; Shephard, Burt; Susan J. Penoyar (PenoyarSJ@cdm.com); Todd King (KingTW@cdmsmith.com); tomd@ctsi.nsn.us; Tom Gainer (gainer.tom@deq.state.or.us)
Subject: FW: Comparison of EPA and Draft FS SMA approaches
Attachments: ComparisonOfAllSMAParameters_EPAsFS_17 Jun14.pdf

FYI...

Kristine Koch
Remedial Project Manager
USEPA, Office of Environmental Cleanup

U. S. Environmental Protection Agency
Region 10
1200 Sixth Avenue, Suite 900, M/S ECL-115
Seattle, Washington 98101-3140

(206)553-6705
(206)553-0124 (fax)
1-800-424-4372 extension 6705 (M-F, 8-4 Pacific Time, only)

From: Jennifer Woronets [mailto:jworonets@anchorqea.com]
Sent: Tuesday, June 17, 2014 1:18 PM
To: Sheldrake, Sean; Koch, Kristine
Cc: Muza, Richard; Jennifer Woronets; Jim McKenna (jim.mckenna@verdantllc.com); Carl Stivers; Amanda Shellenberger; Bob Wyatt; Patty Dost; King, Todd W.
Subject: FW: Comparison of EPA and Draft FS SMA approaches

Kristine, Sean,

Please see below and attached from Amanda.

Let us know if you have any questions.

Thank you,
Jen Woronets ©
Anchor QEA, LLC
jworonets@anchorqea.com
421 SW Sixth Avenue, Suite 750
Portland, OR 97204
503-972-5014

Please consider the environment before printing this email.

The information is intended to be for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by electronic mail at jworonets@anchorqea.com

From: Amanda Shellenberger
Sent: Tuesday, June 17, 2014 1:05 PM
To: Jennifer Woronets
Cc: Carl Stivers; James McKenna (jim.mckenna@verdantllc.com)
Subject: Comparison of EPA and Draft FS SMA approaches

Kristine –

The following action item was discussed in our May 22 FS technical meeting and captured in last Friday's action items list:

“1. LWG will calculate acreage differences between the two SMA approaches (EPA vs draft FS) including a breakdown by cause (each RAL difference), the map artifacts changes, and the buried contamination areas.”

Per Action Item 1, LWG calculated acreage differences between the two SMA approaches (EPA vs draft FS) and transmitted a summary table to you on June 4, 2014. In that email we noted we were still working on a more detailed table that breaks out the different causes for differences in SMA areas. That additional table is attached and completes the action item noted above.

Please let me know if you have questions about this table.

Amanda Shellenberger, P.E.
ANCHOR QEA, LLC
ashellenberger@anchorqea.com
720 Olive Way, Suite 1900
Seattle, Washington 98101
T 206.287.9130
D 206.903.3371
F 206.287.9131
ANCHOR QEA, LLC
www.anchorqea.com

Please consider the environment before printing this email.

This electronic message transmission contains information that may be confidential and/or privileged work product prepared in anticipation of litigation. The information is intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130.